


09.2024
12060000764







IMI PNEUMATEX



Zeparo Cyclone Max

INSTALL






4b



ZCX + ZCXM






TS: -10 / +110 °C






ZCX + ZUTX

ZCX + ZUTX + ZCXM









Wall distance (all versions)

Type	W	with insulation
ZCX 50	134	175
ZCX 65	134	175
ZCX 80	160	200
ZCX 100	160	200
ZCX 125	212	250
ZCX 150	212	250
ZCX 200	279	320
ZCX 250	355	--
ZCX 300	355	--

Type	DN	H	H1	H2	h1	h2	h3
ZCX 50	50	770	325	445	575	695	377
ZCX 65	65	770	325	445	575	695	377
ZCX 80	80	910	355	555	605	805	377
ZCX 100	100	910	355	555	605	805	377
ZCX 125	125	1130	415	715	665	965	487
ZCX 150	150	1130	415	715	665	965	487
ZCX 200	200	1440	490	950	740	1200	600
ZCX 250	250	1680	545	1135	795	1385	600
ZCX 300	300	1830	585	1245	835	1495	600






PN10

Flanged connection

Installation: horizontal, vertical (downward flow direction)

Type	DN	H	H1	H2	h1*	h2	h3	L	q _N [m³/h]	q _{max} [m³/h]	Weight [kg]	Kvs [m³/h]	EAN	Article No
ZCX 50	50	655	210	445	460	695	377	350	6	24	13	21,3	7640161645868	303041-10900
ZCX 65	65	655	210	445	460	695	377	350	11	40	13	38,5	7640161645875	303041-11001
ZCX 80	80	795	240	555	490	805	377	470	18	56	25	57,1	7640161645882	303041-11101
ZCX 100	100	795	240	555	490	805	377	470	33	95	26	94,9	7640161645899	303041-11201
ZCX 125	125	1015	300	715	550	965	487	635	58	148	72	142,0	7640161645905	303041-11301
ZCX 150	150	1015	300	715	550	965	487	635	93	216	75	201,5	7640161645912	303041-11401
ZCX 200	200	1325	375	950	625	1200	600	755	184	375	167	361,0	7640161645929	303041-11501
ZCX 250	250	1565	430	1135	680	1385	600	890	336	575	242	570,0	7640161645936	303041-11601
ZCX 300	300	1715	470	1245	720	1495	600	1005	535	815	277	731,8	7640161645943	303041-11701



Welded connection


Installation: horizontal, vertical (downward flow direction)

PN10


Type	DN	H	H1	H2	h1*	h2	h3	L	q _N [m³/h]	q _{max} [m³/h]	Weight [kg]	Kvs [m³/h]	EAN	Article No
ZCX 50 W	50	655	210	445	460	695	377	340	6	24	9	21,3	7640161645950	303041-20900
ZCX 65 W	65	655	210	445	460	695	377	340	11	40	9	38,5	7640161645967	303041-21002
ZCX 80 W	80	795	240	555	490	805	377	460	18	56	18	57,1	7640161645974	303041-21102
ZCX 100 W	100	795	240	555	490	805	377	460	33	95	17	94,9	7640161645981	303041-21202
ZCX 125 W	125	1015	300	715	550	965	487	625	58	148	61	142,0	7640161645998	303041-21302
ZCX 150 W	150	1015	300	715	550	965	487	625	93	216	59	201,5	7640161646001	303041-21402
ZCX 200 W	200	1325	375	950	625	1200	600	755	184	375	149	361,0	7640161646018	303041-21502
ZCX 250 W	250	1565	430	1135	680	1385	600	870	336	575	207	570,0	7640161646025	303041-21602
ZCX 300 W	300	1715	470	1245	720	1495	600	985	535	815	232	731,8	7640161646032	303041-21702

*) +70 when ZUTX is used


1




2a




3a




4a




2b





3b





4b




5



6



ZGM



① www.imi-hydronic.com